

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	((("4907252") or ("5315630") or ("5317616") or ("5351280") or ("5394452") or ("5442675") or ("5528650") or ("5548627") or ("5625663") or ("5661773") or ("5673300") or ("5724400") or ("5446548") or ("10004363"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L2	13	1 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:08
L3	0	2 and(compar\$6 or match\$4) same("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan) same video near5 imag\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:06
L4	0	1 and(compar\$6 or match\$4) same("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan) same video near5 imag\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:07
L5	2	2 and(compar\$6 or match\$4) same("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:07
S1	1931	("CT" or computed near3 tomography) same (patient or person or human) with (position or location or plac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:19
S2	55	S1 and ((compar\$3 or match\$4) near7 (imag\$2 or pictur\$2 or photo\$8)) same first near10 second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:46
S3	3	S2 and radiotherapy near3 treatment same patient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 10:49
S4	3	S3 and ((compar\$3 or match\$4) same first near10 second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:18

S5	3	S3 and first near10 second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 12:13
S6	1	"5724400".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:49
S7	2	"5317616".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 12:30
S8	2	"5673300".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 12:31
S9	368	("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan) same (correct\$5 or align\$6 or misalign\$6) near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:09
S10	192	S9 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:09
S11	59	S9 same patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:10
S12	0	S11 same(dtermin\$3 or obtain\$3 or adjust\$6 or comput\$4 or calculat\$5 or correct\$5)with(offset\$1 or displacement\$1)near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:08
S13	2	S11 and(dtermin\$3 or obtain\$3 or adjust\$6 or comput\$4 or calculat\$5 or correct\$5)with(offset\$1 or displacement\$1)near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:17
S14	17	S10 and(dtermin\$3 or obtain\$3 or adjust\$6 or comput\$4 or calculat\$5 or correct\$5)with(offset\$1 or displacement\$1)near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:10

S15	10	S14 and (compar\$6 or match\$4) same("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:08
S16	28	bani-hashemi-ali.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:46
S17	8	S16 and patient\$1 near5(reposition\$3 or displace\$5 or rotation or twisting or movement or position\$3 or misalignments or alignments or accurate near3 position\$1 or correct\$4 near3 position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:08
S18	11783	382/128,129,130,131,132,133, 134;600/425,409,407,205, 130;378/4,8,21,20,23,24,25,26,27, 65,150,205,206,207,69,68;250/455, 378,363.04,363.05,582, 583;324/248,261;433/213,75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:09
S19	160	S18 and("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan) same (correct\$5 or align\$6 or misalign\$6) near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:09
S20	106	S19 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:09
S21	106	S20 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:10
S22	14	S21 and(dtermin\$3 or obtain\$3 or adjust\$6 or comput\$4 or calculat\$5 or correct\$5)with(offset\$1 or displacement\$1)near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:10
S23	9	S22 and (compar\$6 or match\$4) same("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:44

S24	0	S15 and real adj1 time near5 video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:09
S25	0	S14 and real adj1 time near5 video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:09
S26	3	S11 and real adj1 time near5 video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:11
S27	5	S10 and real adj1 time near5 video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:58
S28	12	S9 and (camera\$1 or image near3 pickup\$2 or imag\$3 near3 devic\$2) near5 video same ("CT" or tomograph\$2 near3 scan\$2 or tomograph\$2 near3 imag\$2 or radiographic near3 projection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:46
S29	0	S28 and(dtermin\$3 or obtain\$3 or adjust\$6 or comput\$4 or calculat\$5 or correct\$5)with(offset\$1 or displacement\$1)near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:08
S30	12	S28 and patient\$1 near5(reposition\$3 or displace\$5 or rotation or twisting or movement or position\$3 or misalignments or alignments or accurate near3 position\$1 or correct\$4 near3 position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:08
S31	1	(camera\$1 or image near3 pickup\$2 or imag\$3 near3 devic\$2) near5 video same ("CT" or tomograph\$2 near3 scan\$2 or tomograph\$2 near3 imag\$2 or radiographic near3 projection\$1) same((compar\$6 or match\$4) near15 patient\$1 near3 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:49

S32	15	(camera\$1 or image near3 pickup\$2 or imag\$3 near3 devic\$2) near5 video same ("CT" or tomograph\$2 near3 scan\$2 or tomograph\$2 near3 imag\$2 or radiographic near3 projection\$1) and((compar\$6 or match\$4) near15 patient\$1 near3 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 18:49
S33	11783	382/128,129,130,131,132,133,134;600/425,409,407,205,130;378/4,8,21,20,23,24,25,26,27,65,150,205,206,207,69,68;250/455,378,363.04,363.05,582,583;324/248,261;433/213,75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:02
S34	160	S33 and("CT" or computed near3 tomography or "CT adj3 imag\$2" or "CT adj3 scan" or radiographic near3 projection\$1 or tomographic near3 scan) same (correct\$5 or align\$6 or misalign\$6) near7 patient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:02
S35	106	S34 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:05
S36	106	S35 and patient\$1 near7(reposition\$3 or displace\$5 or rotation or twisting or movement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:41

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Your search matched **0** of **1134355** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:
No documents matched your query.
Print Format
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved